



Innovation  
that excites

## NISSAN NV300



# LCV AN UNBEATABLE LINEUP



**NISSAN**

OFFICIAL LIGHT COMMERCIAL VEHICLE  
OF THE UEFA CHAMPIONS LEAGUE



**At Nissan, we're constantly innovating for your business** - coming up with clever new ways to deliver class-leading space and enhanced efficiency, improved versatility and durability, increased cost savings and ease of use. We engineer excitement and innovation round the clock to make your daily routine smoother, your work more fun and keep you ahead of the game. Because nothing beats the feeling of a job done smarter.



## PICK YOUR PLAYER

YOU CAN ASK A LOT OF THE NEW NISSAN NV300, and trust it to respond. It has everything you need for your business: low on running costs, big on comfort, plus exceptional load-carrying flexibility for its practical, mid-size van dimensions. As you'd expect from a Nissan, the NV300 is also built to be thoroughly dependable. A promise that's supported by our five year warranty.



*"Reliability is vital; my business depends on always getting to my customers on time. So the Nissan 5 Year Warranty is a big bonus. It shows Nissan has real confidence in its engineering, build quality and reliability, and that gives me confidence too."*



*"I'm driving most of the day, which means performance and fuel efficiency are really crucial. My NV300 gives me a smooth drive with good acceleration if I need it, and the economy's really good too. It means driving is more relaxed and my bank balance benefits too."*



*"Nissan has a great range of LCVs, and they all have features that are useful for my business. I chose the NV300 because it's the right size for my current need. When my business grows it's good to know that I can move up a size and still drive a Nissan."*




*"My NV300 is more than a van to me, it's also my office. I need to process paperwork, get hold of parts and keep in touch with customers when I'm on the move, so that's why I chose the NV300. It makes it easy to be organised and efficient, and that's a good image to show customers."*



## GET THE JOB DONE

**UP TO  
1,280KG  
PAYLOAD**

**UP TO  
8.6M<sup>3</sup>  
CARGO  
VOLUME**



With an impressive load space you can easily load three Europallets or ten 2.5M plasterboards. With its bulkhead flap, NV300 enables you to carry long items up to 3.75M in the L1 and up to 4.15M in the L2.

## DESIGNED FOR YOU



**THERE'S AN IDEAL NV300 FOR YOU.** Choose from two lengths and heights for the Panel Van, two lengths for the Combi or Crew Van, or the long Platform Cab, which is ready for your specific conversion.

## KEY PERFORMANCE INDICATOR

### ROOM FOR LOADS, COMFORT FOR PEOPLE

NV300 PANEL VAN can take up to 8.6M<sup>3</sup> of cargo and up to 1,280kg payload while the Crew Van carries a team of six plus the tools you need for the job. Combi will seat up to nine people in spacious comfort.



UP TO **8.6M<sup>3</sup>**  
CARGO CAPACITY


UP TO **4.0M<sup>3</sup>**  
WITH 6 PERSONS

UP TO **9 SEATS**  
WITH PLENTY OF ROOM




### LIGHT ON FUEL, STRONG ON POWER

The 1.6 dCi NV300 engine is available with 4 different outputs: two Single Turbo producing 95PS or 120PS, and two Twin Turbo offering 125PS or 145PS. Twin Turbo engines develop more torque from low revs and more power at high speeds for even better driveability.



### KEEP IN TOUCH



### NissanConnect by LG\*

Keep in touch with NissanConnect, your navigation, communication and audio-entertainment system. Display maps, music, info and phone files on your 7" colour touch screen, get voice guidance across Europe, enjoy hands-free connectivity and listen to all your music in any format through CD, iPod, MP3, USB or Bluetooth® audio streaming.

\*Standard on Tekna models

### LOW RUNNING COSTS

All NV300 engines are EURO6 compliant. Their low fuel consumption coupled to 2 years / 25,000 miles service intervals contributes to the NV300's low running costs.



**EXACTLY YOURS.** A comprehensive range plus many options make it easy to choose the perfect NV300 for your business. There are two lengths and heights for Panel Van, two lengths for Crew Van and Combi, and a long wheelbase Platform Cab for conversions. **ENJOY DECIDING!**





## DEMANDS LESS, GIVES YOU MORE

WITH ITS LOW RUNNING COSTS, the NV300 is always good for your business. Both its Single and Twin Turbo engines are impressively economical, while Stop/Start and other smart energy management features help save more fuel. And you have the reassurance of knowing the NV300 is covered by the exceptional Nissan 5 year, 100,000 mile warranty.

# 47.9 MPG


STOP/START & ECO MODE

# TWIN

TURBO

# 125

PS



## INSPIRED THINKING. SMARTER LOADING.

As well as a roomy and adaptable load space, NV300 packs in lots of practical, helpful details. The sort of inspired ideas that turn a challenge into a job well done.



### OTHER FEATURES INCLUDE:

- 12V socket located on the cargo area\*
- Optional interior roof storage rack available for items up to 2.0M long/13kg
- Optional glazed rear doors or tailgate
- tow a braked trailer up to 2000kg



Bulkhead flap lifts to allow extra long objects - up to 3.75M in the L1 NV300 or 4.15M in the L2 NV300 (Standard on Acenta & Tekna Panel Van models).



Sliding side door is over a metre wide, so will easily take a Europallet.



Side-hinged rear doors open 90°/180° for wide access. For even wider access, 270° rear doors are available as an option.



Up to 18 Anchorage rings available to keep your load secure.

\*Standard on Acenta and Tekna Panel Van & Crew Van models only





**FROM 5.2 TO 8.6M<sup>3</sup>**  
LOAD SPACE VOLUME

**3 EUROPALLETS**  
CAPACITY

**1,662MM**  
MAX LOAD SPACE WIDTH


**1,898MM**  
MAX LOAD SPACE HEIGHT

### TAKE MORE ON BOARD, EASILY

The NV300 is built to make your working day simpler. It's easy to load a Europallet through the wide rear opening, or through the sliding side doors, which also make kerbside deliveries quicker. You can get more done with the NV300.







## COMFORTABLE AND PRACTICAL

The NV300's cab is much more than a comfortable workplace. It's also a highly organised mobile office. There's up to 89 litres of storage space available for everything from paper clips and cups to large bottles and your laptop. The base of the passenger seat flips forward to reveal large storage bins (standard on Acenta & Tekna Panel Van models). The centre seatback folds flat and provides a removable A4 clipboard holder (standard on Acenta & Tekna Panel Van models). These are just some of the practical features that show we've thought about the way you work.

### VAN INTERIOR FEATURES INCLUDE:

1. Storage for larger items beneath the passenger seats. (Acenta & Tekna Panel Van models only)
2. Clipboard holder inside centre seatback. Plus flat space for documents or laptop. (Acenta & Tekna Panel Van models only)
3. Convenient cup holder to safely hold your beverage.
4. Adjustable cradle for your smartphone. (Acenta & Tekna only)



Navigate anywhere like a local with clear images, voice guidance, and traffic info which helps you steer clear of delays.

Make your NV300 an entertainment and communication centre. Listen to your music library via Bluetooth.

Talk to customers and phone home. With NissanConnect hands-free technology, you can make and answer calls and access your contacts, with your hands safely on the wheel.




**NissanConnect by LG**

7" touch screen, navigation with traffic and USB map updates, DAB digital radio, Bluetooth smartphone integration, USB and jack socket connectivity.

**NissanConnect by LG**  
**ADVANCED SIMPLICITY**

Being on time and keeping in touch are crucial for any business. We make it easier with NissanConnect - our sophisticated yet simple to use multimedia system that syncs with your smartphone.





## NV300 PANEL VAN LOVES LARGE LOADS

The NV300 Panel Van is a capable, roomy and reliable workhorse. Offering a large load space in a highly manoeuvrable medium size footprint, it's practical for city streets and relaxed on motorways.

### ACCESS AND LOAD SPACE FEATURES INCLUDE:

- Side and rear doors take a Euro pallet with ease
- Rear doors with 180° opening (270° rear doors available as an option)
- Illuminated load area
- 12-volt electrical accessory socket in load area (Standard on Acenta & Tekna Panel Van & Crew Van models)
- Floor-mounted, load-securing eyes
- Bulkhead flap (standard on Acenta & Tekna Panel Van models only) extends load space length up to 3.75m (L1 versions) & up to 4.15m (L2 versions)



A 1.0M wide sliding door is available for one or both sides.



This clever device lets you shut just one of the rear doors, enabling you to carry longer loads safely (Standard on Acenta & Tekna Panel Van & Crew Van H1 models only).



## NV300 CREW VAN READY FOR ANYTHING

The NV300 Crew Van is the flexible working solution. Your workmates have easy access through twin sliding doors, with room to travel to the job and back in comfort. With two van lengths available, there's space for your crew and up to 4.0M<sup>3</sup> load capacity.

### CREW AND LOAD SPACE FEATURES:

- From 3.2 to 4.0M<sup>3</sup> max load space volume
- Payload up to 1,040kg
- Twin sliding side-access doors with fixed (Acenta) or opening (Tekna) windows
- High-strength plastic bulkhead
- 3-seater rear bench or individual seats with head restraints adjustable in height and tilting
- 3-Point inertia-reel safety belt on all seats



Up to 4.0M<sup>3</sup> load space for tools and equipment.



Individually contoured rear bench seat for up to three passengers.



Large windows make interior light and airy.





**NV300 COMBI**  
**CREATE THE BEST IMPRESSION**

Smart, spacious and offering a comfortable ride, the Combi will impress your passengers on the way to the airport, the game, in the city or on the motorway.

**COMBI STANDARD FEATURES INCLUDE:**

- Up to nine seat layout with choice of two wheelbases
- Twin sliding side-access doors with fixed (Acenta) or opening (Tekna) windows
- Second and third row contoured bench seats, each taking three passengers
- 60/40 split/fold seat back for second-row bench seat
- Fold and tumble facility for third row bench seat
- Removable second and third row bench seats
- Inertia-reel lap and diagonal seatbelts for all seats
- Rubber floor covering
- Half-height sidewall trim




Large sliding side doors and second row split/fold seat backs ensure easy access.



Folding or removable third row and removable second row seats offer flexible passenger/load space combinations.




Remove the second and third row seats and Combi gives you the load space of a Panel Van.




# HIGH EFFICIENCY

The NV300's 1.6 litre dCi diesel engines combine the advantages of small capacity for impressive fuel economy, and turbo boost across the rev range. Four EURO6 compliant engines are available: Single Turbo with 95PS or 120PS and Twin Turbo with 125PS or 145PS.

1.6 dCi 145PS Twin Turbo



1.6 dCi 95PS Single Turbo



## TWIN TURBO FEATURES

The first turbo produces high torque at low speeds, for more power when pulling away and restarting. The second turbo increases output at higher speeds, for constant, confident acceleration.

## STOP/START

Standard on twin turbo engines and optional on the 95PS unit, the engine stops while waiting in traffic and restarts instantly when you press the clutch. You'll soon notice the fuel savings.

## ECO MODE


Switch on to optimise fuel consumption, through max torque limitation, smoother accelerator response and anticipated gearshift indicator.

## SMART ENERGY MANAGEMENT

This is a way of recovering energy from deceleration and braking to reduce overall fuel consumption.

## EURO6 COMPLIANT

Selective Catalytic Reduction technology uses AdBlue to convert Nitrogen Oxide emissions to water, nitrogen and tiny amounts of carbon dioxide – natural elements we breathe safely every day.



## THOUGHTFUL AND RESPONSIBLE

Your safety is important to us, so the NV300 is equipped with active safety systems including Electronic Stability Program (ESP), ABS with Electronic Brakeforce Distribution (EBD) and Extended Grip that optimises traction in difficult conditions (such as mud and snow), plus several thoughtful touches to make driving easier and keep you calmly in control.



### I-KEY (OPTIONAL)

When you have your hands full, i-Key allows hands-free front and rear door unlocking/locking and engine start.



### REAR VIEW CAMERA (OPTIONAL)

Combined with rear parking sensors, it makes manoeuvring easier and safer.



### BLIND SPOT MIRROR

(Standard on Acenta & Tekna Panel Van & Crew Van models)



### ECO MODE

Activating Eco Mode helps you achieve the most fuel-efficient driving characteristics.



### CRUISE CONTROL

Relax on long journeys. Combined with speed limiter to help you keep within the legal limits. (Standard on Tekna)



### AUTO LIGHTS & WIPERS

Activate automatically so you can stay focused on the road. (Standard on Tekna)



### TOWING

TSM (Trailer Sway Mitigation) comes as standard when the optional factory fit towbar is ordered and works with ESP to help keep you in control when towing.



### HILL START ASSIST

Makes hill-starts safer and smoother by maintaining brake pressure for up to 2 seconds.



## NV300 OPTIONAL DOOR CONFIGURATIONS

### PANEL VAN



TWIN SLIDING DOORS

### REAR DOORS



270°  
PANELLED FRENCH DOORS



180° OR 270°  
GLAZED FRENCH DOORS




GLAZED TAILGATE

## NV300 ENGINES



### DIESEL ENGINES

	1.6 dCi 95PS with/wo Start/Stop	1.6 dCi 120PS	1.6 dCi 125PS Twin Turbo Start/Stop	1.6 dCi 145PS Twin Turbo Start/Stop
Capacity	1598cc	1598cc	1598cc	1598cc
Maximum power	95PS (70Kw) @3500rpm	120PS (89Kw) @3500rpm	125PS (92Kw) @3500rpm	145PS (107Kw) @3500rpm
Maximum torque	260Nm (192lb.ft.) @1500rpm	300Nm (221 lb.ft) @1750rpm	320Nm (236 lb.ft) @1500rpm	340Nm (250 lb.ft) @1750rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts			
Fuel/induction system	Variable geometry turbocharger with intercooler. Common rail fuel injection		Twin variable geometry turbocharger with intercooler. Common rail fuel injection	
Emissions compliance	Euro 6			
Service interval	25,000 miles or two-years (Whichever comes first)			





- 1 - STEEL ROOF RACK
- 2 - LED CARGO AREA STRIPLIGHTING
- 3 - FLOOR MATS; RUBBER
- 4 - FLANGED TOWBAR KIT
- 5 - PROTECTION GRILLES FOR SIDE-HINGED REAR DOORS
- 6 - INTERIOR ROOF RACK
- 7 - EPOXY STEEL (BLACK) LADDER FOR SIDE-HINGED REAR DOOR



## YOUR PERSONAL NV300

Nissan Genuine Accessories have been designed to meet your business needs, helping to make your daily routine easier.



# NISSAN NV300 PANEL VAN

The NV300 is a flexible and highly adaptable LCV platform, designed to provide practical and user-friendly service to business drivers across a wide range of industries. These could include transportation and logistics, construction, property maintenance, multi-drop delivery, fast-fit repairs and mobile workshop.

## VISIA

### SAFETY AND SECURITY

- Driver airbag
- Nissan Anti Theft System immobiliser
- Remote central door locking
- Superlocking
- Anti-theft spare wheel carrier
- Full size spare wheel
- Vehicle Dynamic Control (VDC)
- Thatcham approved alarm system
- Hill Start Assist
- Extended grip
- Daytime Running Lights
- 2 button key (with single door opening function)

### EXTERIOR STYLING

- 16" Steel wheels
- Half wheel covers
- 60:40 split 180 degree opening unglazed twin rear french doors
- Left side sliding panel door
- Roof rail fixings

### INTERIOR STYLING

- 'Muscade' trimmed cloth seats
- 2 - seater front row passenger bench seat
- Height adjustable driver's seat
- Driver's armrest

### COMFORT AND CONVENIENCE

- Steering column mounted audio controls
- Rake and Reach adjustable steering wheel
- Trip computer
- Front electric windows
- Electrically adjustable door mirrors
- Power steering
- Heated door mirrors
- 80 litre fuel tank
- 20 litre AdBlue® tank

### AUDIO AND NAVIGATION

- AUX socket for MP3 Player
- USB port
- Bluetooth® telephone integration
- AM/FM/DAB audio system

### CARGO AREA

- Full steel bulkhead without fixed window

### OPTION PACKS\*

- REAR GLAZING PACK (H1 MODELS ONLY)
  - Full steel bulkhead with fixed window
  - Glazed 180 degree rear french doors
  - Heated rear screen
  - Rear wipers

\*Option Packs available at an additional cost.

## ACENTA

IN ADDITION TO VISIA

### COMFORT AND CONVENIENCE

- Manual air conditioning (front)
- Driver's side one-touch electric windows
- Smartphone cradle

### EXTERIOR STYLING

- Body coloured door mirrors
- Body coloured bumper (front)
- Body coloured rear light column
- Body coloured door rail
- Full wheel covers

### INTERIOR STYLING

- Fold-down central seat with detachable A4 clipboard
- Under-seat storage

### CARGO AREA

- 12V power socket
- Load-through facility in bulkhead

### SAFETY AND SECURITY

- Blind spot mirror (in passenger sunvisor)
- Rear parking sensors
- Front fog lights

### OPTION PACKS\*

- REAR GLAZING PACK (H1 MODELS ONLY)
  - Full steel bulkhead behind driver with fixed window
  - Glazed 180 degree rear french doors
  - Heated rear screen
  - Rear wipers
- OFFSIDE DOOR PACK (L2H1 MODELS ONLY)
  - Offside sliding panel door
  - 270 degree rear doors



\*Option Packs available at an additional cost.



## TEKNA

IN ADDITION TO ACENTA

### SAFETY AND SECURITY

- Rain sensing windscreen wipers
- Automatic headlights

### EXTERIOR STYLING

- 17" Alloy wheels\*\*

### INTERIOR STYLING

- Leather steering wheel
- Leather gear knob
- Closed upper dashboard storage
- 'Java' trimmed cloth seats

### AUDIO AND NAVIGATION

- Nissan Connect by LG; Touchscreen, Satellite Navigation and Entertainment System

### TECHNOLOGY

- Cruise control and speed limiter

### OPTION PACKS\*

- REAR GLAZING PACK (H1 MODELS ONLY)
  - Full steel bulkhead behind driver with fixed window
  - Glazed 180 degree rear french doors
  - Heated rear screen
  - Rear Wipers
- OFFSIDE DOOR PACK (L2H1 MODELS ONLY)
  - Offside sliding panel door
  - 270 degree rear doors

\*Option Packs available at an additional cost  
\*\* Not available on H2



# NISSAN NV300 CREW VAN

NV300 Crew Van has space for 6 passengers along with space for tools you need for the job. The Crew Van is equipped as standard with twin glazed sliding side doors.

## ACENTA

### SAFETY AND SECURITY

- Vehicle Dynamic Control (VDC)
- Hill Start Assist
- Extended Grip
- Superlocking
- Remote central door locking
- Driver airbag
- Daytime Running Lights
- 2 button key (with single door opening function)
- Full-size spare wheel
- Anti-theft spare wheel carrier
- Front fog lights
- Rear parking sensors
- Blind spot mirror (in passenger sunvisor)

### CARGO AREA

- Rear bulkhead (behind 2nd row bench seat)
- 12V power socket

### EXTERIOR STYLING

- 16" Steel wheels
- Full wheel covers
- Body coloured door mirrors
- Body coloured bumper (Front)
- 60:40 split 180 degree opening unglazed twin rear french doors
- Twin sliding side glazed doors
- Body coloured rear light column
- Body coloured door rail

### INTERIOR STYLING

- 'Muscade' trimmed cloth seats
- 2-seater front row passenger bench seat
- Under-seat storage
- Fixed 2nd row
- 3-seater bench seat
- Driver armrest
- Plastic side trim up to windows

### COMFORT AND CONVENIENCE

- Manual air conditioning (front)
- Heated door mirrors
- Electrically adjustable door mirrors
- Front electric windows
- Driver's side one-touch electric window
- Smartphone cradle
- Steering column mounted audio controls
- Driver's seat lumbar support
- Height adjustable driver's seat
- Power steering
- Trip computer
- Rake and Reach adjustable steering wheel

### AUDIO AND NAVIGATION

- AUX socket for MP3 Player
- USB port
- Bluetooth® telephone integration
- AM/FM/DAB audio system

## TEKNA

IN ADDITION TO ACENTA

### EXTERIOR STYLING

- 17" Alloy wheels\*
- Twin sliding glazed doors with slide opening windows

### INTERIOR STYLING

- Leather steering wheel
- Leather gear knob
- Closed upper dash storage
- 'Java' trimmed cloth seats

### AUDIO AND NAVIGATION

- Nissan Connect by LG;  
7" Touchscreen Satellite Navigation and Entertainment System

### SAFETY AND SECURITY

- Rain sensing windscreen wipers
- Automatic headlights

### TECHNOLOGY

- Cruise control and speed limiter



\*Not available on H2  
\*\*Extra Tinted glass is optional on NV300 Crew Van



# NISSAN NV300 PLATFORM

The NV300 is more flexible than ever for today's business customers, and nowhere is that more obvious than with the Platform Cab. For operators with more bespoke LCV needs, this 'rolling chassis' can support conversions across a wide range of industries.

## VISIA

### SAFETY AND SECURITY

- Extended Grip
- Vehicle Dynamic Control (VDC)
- Hill Start Assist
- Thatcham approved immobiliser
- Alarm pre-wiring
- Remote central door locking
- Driver airbag
- 2 button key (with single door opening function)
- Full-size spare wheel
- Anti-theft spare wheel carrier
- Daytime Running Lights
- Superlocking

### EXTERIOR STYLING

- 16" Steel wheels
- Half wheel covers

### INTERIOR STYLING

- 'Muscade' trimmed cloth seats
- 2-seater front row passenger bench seat
- Height adjustable driver's seat
- Driver armrest

### AUDIO AND NAVIGATION

- AUX socket for MP3 Player
- USB port
- Bluetooth® telephone integration
- AM/FM/DAB audio system

### COMFORT AND CONVENIENCE

- Trip computer
- Electrically adjustable door mirrors
- Heated door mirrors
- Front electric windows
- Steering column mounted audio controls
- Driver's seat lumbar support
- Rake and Reach adjustable steering wheel
- Power steering

## ACENTA

IN ADDITION TO VISIA

### EXTERIOR STYLING

- Full wheel covers

### INTERIOR STYLING

- Under-seat storage

### COMFORT AND CONVENIENCE

- Manual air conditioning (front)
- Driver's side one-touch electric window
- Smartphone cradle



\*LHD model not sold in the UK



# NISSAN NV300 COMBI

The passenger version of the Nissan NV300 is called the Combi, and provides space for up to nine people (three rows of three seats). It still has room for their luggage, with carrying capacity of 550 and 890 litres for the L1 and L2 versions respectively. The modularity of the two rear bench seats ensures a choice of several layouts to further increase the boot capacity. Access to the third row is via the second row's outer seats, the backs of which can be lowered.

## ACENTA

### SAFETY AND SECURITY

- Vehicle Dynamic Control (VDC)
- Hill Start Assist
- Extended Grip
- Thatcham approved alarm system
- Nissan Anti Theft System immobiliser
- Superlocking
- Remote central door locking
- Driver airbag
- Passenger airbag
- Daytime Running Lights
- 2 button key (with single door opening function)
- Full-size spare wheel
- Anti-theft spare wheel carrier
- ISOFIX childseat anchorage points (2<sup>nd</sup> row outer seats)
- Tyre Pressure Monitoring System

### AUDIO AND NAVIGATION

- AUX socket for MP3 Player
- USB port
- Bluetooth® telephone integration
- AM/FM/DAB audio system

### EXTERIOR STYLING

- 16" Steel wheels
- Full wheel covers
- Body coloured door mirrors
- Body coloured bumpers (Front)
- Glazed and Heated rear tailgate door with rear wiper
- Twin glazed sliding doors
- Body coloured rear light column
- Body coloured door rail

### INTERIOR STYLING

- 'Muscade' trimmed cloth seats
- 2-seater front row passenger bench seat
- Under-seat storage
- Height adjustable driver's seat
- 2nd row 3-seater bench seat (removable)
- 3rd row 3-seater bench seat (foldable and removable)
- Driver armrest

### COMFORT AND CONVENIENCE

- Manual air conditioning (front)
- Electrically adjustable door mirrors
- Heated door mirrors
- Front electric windows
- Steering column mounted audio controls
- Driver's seat lumbar support
- Power steering
- Rake and Reach adjustable steering wheel
- Trip computer
- Driver's side one-touch electric window
- Front fog lights
- Smartphone cradle

### TECHNOLOGY

- Rear parking sensors

## TEKNA

IN ADDITION TO ACENTA

### EXTERIOR STYLING

- Twin glazed sliding doors with opening windows

### INTERIOR STYLING

- Leather steering wheel
- Leather gear knob
- Closed upper dash storage
- 'Java' trimmed cloth seats

### AUDIO AND NAVIGATION

- Nissan Connect by LG;  
7" Touchscreen Satellite Navigation and Entertainment System

### TECHNOLOGY

- Cruise control and speed limiter
- Rain sensing windscreen wipers
- Automatic headlights



\*Extra Tinted glass is optional



# COLOURS

S - Solid Paint  
M - Metallic Paint



Mercury Grey (M) GRP



Magma Red (S) RMB



Mole Grey (S) GRT



Oyster Grey (M) GRC



Jet Black (M) BLK



Glacier White (S) WHI



Panorama Blue (M) B43



Stone (M) BGE



Bamboo Green (S) CBU



Copper Brown (M) BRT



## TRIMS



Blue / Dark Grey seat trim



Grey / Dark Grey seat trim

## ALLOYS



16" Steel Wheel



16" Steel Wheel with cover



17" Alloy Wheel\*

\*Not available on H2

## NV300 DIMENSIONS

### PANEL VAN L1 H1



### PANEL VAN L1 H2



DIMENSIONS (MM)		L1H1	L1H2
Length (mm)		4999	
Width/width including mirrors (mm)		1956/2283	
Height (mm)		1971	2493
Wheelbase (mm)		3098	
Front overhang (mm)		933	935
Rear overhang (mm)		968	966
LOAD COMPARTMENT		L1H1	L1H2
Length at floor level (mm)		2537	
Length at floor level with bulkhead with trapdoor (mm)		2967	
Maximum length at floor level (with uplifted seat) (mm)		3750	
Length at 1 metre from the floor (mm)		2250	
Maximum width (mm)		1662	
Width between wheel arches (mm)		1268	
Height (mm)		1387	1898
Loading sill (mm)		552	
Load volume (m <sup>3</sup> )		5,2	7,2

SIDE SLIDING DOOR		L1H1	L1H2
Width at 600mm from floor (mm)		907	
Width at 100mm from floor (mm)		1030	
Height (mm)		1284	
REAR DOORS		L1H1	L1H2
Height (mm)		1320	1820
Width at 70mm from floor (mm)		1391	
WEIGHTS (KG)		L1H1	L1H2
		1000 kg	1200 kg
Vehicle weight (unladen) (kg)		1699	1699
Payload with driver* (kg)		1075	1235
GVW (kg)		2780	2940

\*Payload equals the Maximum Operating Mass (Cross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to manufacturing tolerances and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, can result in a higher Kerb Mass and a reduced Payload.



## NV300 DIMENSIONS

### PANEL VAN L2 H1



### PANEL VAN L2 H2



DIMENSIONS (MM)	L2H1	L2H2
Length (mm)	5399	
Width/width including mirrors (mm)	1956/2283	
Height (mm)	1971	2490
Wheelbase (mm)	3498	
Front overhang (mm)	933	935
Rear overhang (mm)	968	966
LOAD COMPARTMENT	L2H1	L2H2
Length at floor level (mm)	2937	
Length at floor level with bulkhead with trapdoor (mm)	3350	
Maximum length at floor level (with uplifted seat) (mm)	4150	
Length at 1 metre from the floor (mm)	2650	
Maximum width (mm)	1662	
Width between wheel arches (mm)	1268	
Height (mm)	1387	1898
Loading sill (mm)	552	
Load volume (m <sup>3</sup> )	6	8,6

SIDE SLIDING DOOR	L2H1	L2H2
Width at 600mm from floor (mm)	907	
Width at 100mm from floor (mm)	1030	
Height (mm)	1284	
REAR DOORS	L2H1	L2H2
Height (mm)	1320	1820
Width at 70mm from floor (mm)	1391	
WEIGHTS (KG)	L2H1	L2H2
Vehicle weight (unladen) (kg)	1720	1842
Payload with driver* (kg)	1280	1198
GVW (kg)	3000	3040

\*Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to manufacturing tolerances and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, can result in a higher Kerb Mass and a reduced Payload.

## NV300 DIMENSIONS

### CREW VAN L1H1



### CREW VAN L2H1



DIMENSIONS (MM)	L1H1	L2H1
Length (mm)	4999	5399
Width/width including mirrors (mm)	1956/2283	
Height (mm)	1971	
Wheelbase (mm)	3098	3498
Front overhang (mm)	933	935
Rear overhang (mm)	968	966
LOAD COMPARTMENT	L1H1	L2H1
Length at floor level (min/max) (mm)	1914/2023	2314/2423
Length at 1 metre from the floor (mm)	1340	1740
Maximum width (mm)	1662	
Width between wheel arches (mm)	1268	
Height (mm)	1387	
Loading sill (mm)	552	
Load volume (m <sup>3</sup> )	3,2	4,0

SIDE SLIDING DOOR	L1H1	L2H1
Width at 600mm from floor (mm)	907	
Width at 100mm from floor (mm)	1030	
Height (mm)	1284	
REAR DOORS	L1H1	L2H1
Height (mm)	1320	1820
Width at 70mm from floor (mm)	1391	
WEIGHTS (KG)	L1H1	L2H1
Vehicle weight (unladen) (kg)	1845	1900
Payload with driver* (kg)	975	987
GVW (kg)	2820	2940

\*Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to manufacturing tolerances and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, can result in a higher Kerb Mass and a reduced Payload.

## NV300 DIMENSIONS

### COMBI VAN



DIMENSIONS (MM)	L1H1	L2H1
Length (mm)	4999	5399
Width/width including mirrors (mm)	1956/2283	
Height (mm)	1971	
Wheelbase (mm)	3098	3498
Front overhang (mm)	933	
Rear overhang (mm)	968	
LOAD COMPARTMENT	L1H1	L2H1
Boot volume with 3rd row seat folded down (m <sup>3</sup> )	2,5	3,4
Length at floor level (mm)	736	1136
Maximum width (mm)	1662	
Width between wheel arches (mm)	1268	
Height (mm)	1369	
Loading sill (mm)	552	

SIDE SLIDING DOOR	L1H1	L2H1
Width at 600mm from floor (mm)	907	
Width at 100mm from floor (mm)	1030	
Height (mm)	1284	
REAR DOORS	L1H1	L2H1
Height of rear doors/tailgate opening (mm)	1320/1295	
Width at 70mm from the floor (mm)	1391	
WEIGHTS (KG)	L1H1	L2H1
	1000 kg/1200 kg	1200 kg
Number of passengers	9	
Vehicle weight (unladen) (kg)	1797/1807	1848
Payload with driver* (kg)	963/1128	1172
GVW (kg)	2760/2935	3020

\*Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to manufacturing tolerances and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, can result in a higher Kerb Mass and a reduced Payload.

## NV300 DIMENSIONS

### PLATFORM VAN


DIMENSIONS	L2H1
Wheelbase (mm)	3498
Front overhang (mm)	933
Ground clearance	160
Sill height	552
OUTFITTING DIMENSIONS	L2H1
Overall outfitting length	5399
Outfitting load length	2990
Maximum outfitting width (with standard mirror)	1956
Maximum outfitting width (with long arm mirror)	2185
Overall outfitting height	2700
Outfitting rear overhang	1107

WEIGHTS	L2H1
	1200 kg
Vehicle weight (unladen) (kg)	1541
Payload with driver (kg)	1459
GVW (kg)	3000

# NV300 VAN & CREW VAN TECHNICAL SPECIFICATIONS

		Van/Crew Van			
<b>MODEL</b>		L1H1			
Length/Height					
Engine		dCI 95	dCI 120	dCI 125 SS	dCI 145 SS
<b>ENGINE PERFORMANCE &amp; DESCRIPTION</b>					
Engine capacity	cm <sup>3</sup>	1598			
Maximum torque	Nm	260	300	320	340
	Minimum RPM for torque maximum	1,500	1,750	1,500	1,750
Maximum engine performance	kw (PS)	70 (95)	89 (120)	92(125)	107 (145)
		3500			
Emission class		Euro 6			
Transmission		6-speed manual		6-speed manual Stop/Start	
Driven wheels		Front-wheel drive			
Diesel Particle Filter (DPF)		Yes			
Number of cylinders		4			
Number of valves		16			
<b>FUEL CONSUMPTION &amp; EMISSIONS</b>					
C02 Emissions (Combined)	g/km	170	170	155	160
Fuel Consumption (Combined)	MPG	43.5	43.5	479	46.3
Fuel Tank Capacity	Litres	80			
AdBlue® Tank Capacity	Litres	20			
Max. Speed	MPH	96	104	109	113
<b>TYRES</b>					
Tyre size		205/65 R16	205/65 R16	205/65 R16	215/65 R16
		215/ 60 R17 (models with alloy wheels)			
<b>STEERING</b>					
Turning circle (kerb-to-kerb)		11.8			
Turning circle (Wall-to-wall)		12.4			
<b>SERVICING</b>					
Service intervals		2 years / 25,000 miles			

Van		Van/Crew Van				Van	
L1H2		L2H1				L2H2	
dCI 125 SS	dCI 145 SS	dCI 95	dCI 120	dCI 125 SS	dCI 145 SS	dCI 125 SS	dCI 145 SS
		1598					
320	340	260	300	320	340	320	340
1,500	1,750	1,500	1,750	1,500	1,750	1,500	1,750
92 (125)	107 (145)	70 (95)	89 (120)	92 (125)	107 (145)	92 (125)	107 (145)
		3500					
		Euro 6					
6-speed manual Stop/Start		6-speed manual		6-speed manual Stop/Start			
		Front-wheel drive					
		Yes					
		4					
		16					
175	175	174	174	159	164	178	178
41.5	41.5	42.2	42.2	46.3	44.8	40.9	40.9
		80					
		20					
97	103	96	104	109	113	97	103
205/65 R16	215/65 R16	205/65 R16	205/65 R16	205/65 R16	215/65 R16	205/65 R16	215/65 R16
		215/ 60 R17 (models with alloy wheels)					
		11.8					
		13.2					
		12.4					
		13.7					
		2 years / 25,000 miles					



## NV300 COMBI TECHNICAL SPECIFICATION

		Combi					
MODEL		L1H1			L2H1		
Length/Height							
Engine		dCi 95 SS	dCi 125 SS	dCi 145 SS	dCi 95 SS	dCi 125 SS	dCi 145 SS
<b>ENGINE PERFORMANCE &amp; DESCRIPTION</b>							
Engine capacity	cm <sup>3</sup>	1598					
Maximum torque	Nm	260	320	340	260	320	340
	Minimum RPM for torque maximum	1,500	1,500	1,750	1,500	1,500	1,750
Maximum engine performance	kw (PS)	70 (95)	92(125)	107 (145)	70 (95)	92(125)	107 (145)
Emission class		Euro 6					
Transmission		6-speed manual Stop/Start					
Driven wheels		Front-wheel drive					
Diesel Particle Filter (DPF)		Yes					
Number of cylinders		4					
Number of valves		16					
<b>FUEL CONSUMPTION &amp; EMISSIONS</b>							
Co2 Emissions (Combined)	g/km	155	145	152	155	145	152
Fuel Consumption (Combined)	MPG	471	50.4	479	471	50.4	479
Fuel Tank Capacity	Litres	80					
AdBlue® Tank Capacity	Litres	20					
Max. Speed	MPH	96	109	113	96	109	113
<b>TYRES</b>							
Tyre size		215/65 R16 (models with steel wheels)					
		215/60 R17 (models with alloy wheels)					
<b>STEERING</b>							
Turning circle (kerb-to-kerb)		11.8			13.2		
Turning circle (Wall-to-wall)		12.4			13.7		
<b>SERVICING</b>							
Service intervals		2 years / 25,000 miles					

## NV300 PLATFORM TECHNICAL SPECIFICATION

		Platform	
MODEL		L2H1	
Length/Height			
Engine		dCi 125 SS	dCi 145 SS
<b>ENGINE PERFORMANCE &amp; DESCRIPTION</b>			
Engine capacity	cm <sup>3</sup>	1,598	
Maximum torque	Nm	320	340
	Minimum RPM for torque maximum	1,500	1,750
Maximum engine performance	kw (PS)	92 (125)	107 (145)
Emission class		Euro 6	
Transmission		6-speed Manual Stop/Start	
Driven wheels		Front-wheel drive	
Diesel Particle Filter (DPF)		Yes	
Number of cylinders		4	
Number of valves		16	
<b>FUEL CONSUMPTION &amp; EMISSIONS</b>			
Co2 Emissions (Combined)	g/km	178	
Fuel Consumption (Combined)	MPG	40.9	
Fuel Tank Capacity	Litres	80	
AdBlue® Tank Capacity	Litres	20	
Max. Speed	MPH	97	103
<b>TYRES</b>			
Tyre size		205/65 R16	215/65 R16
		215/ 60 R17 (models with alloy wheels)	
<b>STEERING</b>			
Turning circle (kerb-to-kerb)		13.2	
Turning circle (Wall-to-wall)		13.7	
<b>SERVICING</b>			
Service intervals		2 years / 25,000 miles	



## NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range\*. This is much more than just a warranty as it includes:



- 5 Year or 100,000 miles bumper-to-bumper protection
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- Fully transferable

And with service intervals at 2 years or 25,000 miles on the NV300, you'll not only have 5 years of peace of mind but also low running costs into the bargain.



### AT NISSAN, YOU BRING OUT THE BEST IN US.

You spark our imagination. You provoke our ingenuity. You inspire us to change the rules and innovate. And at Nissan, innovation is not just about additions and extensions; it's about crossing the line to reinvent the status quo. It's about developing unexpected solutions to satisfy your wildest and most pragmatic desires. At Nissan, we design vehicles, accessories and services that break the mould - making the practical exciting and the exciting practical to offer you a more exhilarating driving experience everyday.

\*5-Year / 100,000 miles (whichever comes first) Manufacturer Warranty for the LCV range with the exception of e-NV200. The Basic Vehicle Warranty for e-NV200, according to 3.1 of the Warranty Booklet and Maintenance Record, is extended to 5 years (from the warranty start date) / 60,000 miles (whichever comes first). Only vehicles registered on or after 1st November 2016 are eligible for the Extended Warranty. Body parts and paint excluded during year four and year five. Terms and exclusions apply, for further information please see Extended Warranty Terms and Conditions. Apart from the afore-mentioned, all warranty conditions included in the Warranty Booklet and Maintenance Record remain unchanged. Issuer of this Extended Warranty is Nissan International Insurance Ltd.

## CUSTOMER SERVICES



### SPECIALISED LCV NETWORK

NISSAN provides a specialised network of LCV dealerships to support your specific commercial vehicle requirements:

- Pan-European coverage
- Dedicated LCV Sales & After Sales staff
- Competitive financing solutions
- Tailor made conversion offers
- Competitive extended warranty offers to go even beyond NISSAN LCV 5 Year Warranty.
- Test drive your choice of vehicle



### AFTERSALES SERVICES

If your car breaks down, it's inconvenient. If your van breaks down, it's a serious blow to your business. Even time allowed for servicing is downtime, when your van isn't earning its keep. At Nissan, we understand these hard business facts. So we do the best to ensure that your van stays where it belongs - working for you, on the road.



### NISSAN SERVICE CONTRACTS AND EXTENDED WARRANTY

For total peace of mind and budget control, you can subscribe to a Nissan Service Contract which will cover your periodic maintenance and Wear & Tear parts for the mileage and period that suits your business best. This way, you can ensure that your new NV300 is serviced by dedicated Nissan technicians. And for even more peace of mind, you can get an Extended Warranty to cover possible mechanical and electrical breakdown after the end of your new NV300 warranty.



### 5 YEAR ROADSIDE ASSISTANCE

- Pan-European coverage for breakdowns, accidents, non-warrantable incidents (such as flat tyres, lost keys, wrong fuel...)
- 24/7, 365 days
- Emergency Call Centre
- Prompt roadside assistance

If this is not possible and your vehicle is still immobilised after a few hours, we will make sure you are provided with a courtesy vehicle as soon as possible or if necessary, overnight accommodation and travel to your onward destination or back to your base. We will also recover your immobilised vehicle.





[Nissan.co.uk/vehicles/new-vehicles/nv300](http://Nissan.co.uk/vehicles/new-vehicles/nv300)

Follow Nissan N300 on:



\*5-Year / 100,000 miles (whichever comes first) Manufacturer Warranty for the LCV range with the exception of e-NV200. The Basic Vehicle Warranty for e-NV200, according to 3.1 of the Warranty Booklet and Maintenance Record, is extended to 5 years (from the warranty start date) / 60,000 miles (whichever comes first). Only vehicles registered on or after 1st November 2016 are eligible for the Extended Warranty. Body parts and paint excluded during year four and year five. Terms and exclusions apply, for further information please see Extended Warranty Terms and Conditions. Apart from the afore-mentioned, all warranty conditions included in the Warranty Booklet and Maintenance Record remain unchanged. Issuer of this Extended Warranty is Nissan International Insurance Ltd.

Every effort has been made to ensure that the content of this publication is correct at the time of going to press (May 2019). In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Because of the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written permission of Nissan Europe is forbidden.

This brochure is made from chlorine free paper – MY16 NV300 BROCHURE CEB 11/16 – Printed in EU.  
Created by DESIGNORY, France and produced by eg+ worldwide, France – Tel.: +33 1 49 09 25 35.

Part number: 99999-54408

Dealer stamp:

